

COMMERCIAL ELECTRICAL SOLUTIONS



Milwwkee

THE WORLD LEADER IN CORDLESS INNOVATION







DEDICATION TO THE TRADES

Since the company began in 1924, Milwaukee Tool has led the industry in both durability and performance. With an unwavering commitment to the trades, MILWAUKEE® continues to lead with a focus on providing innovative, cordless, trade-specific solutions. MILWAUKEE® is dedicated to delivering a steady stream of advanced solutions for the trades that offer increased productivity and unmatched durability.

GAME-CHANGING SOLUTIONS

At MILWAUKEE® the phrase "good enough" doesn't exist in our vocabulary. Our goal is to solve problems in ways that have never been done before. The result: tools and equipment that offer unmatched levels of performance, productivity and durability.



BUILT ON THE BEST FOUNDATION



REDLITHIUM[™] BATTERIES

They last longer, think faster and work harder than all other professional LITHIUM-ION batteries. Built to withstand even the harshest environments, REDLITHIUM™ Batteries deliver more work over the life of the battery, no matter what the job.



MILWAUKEE® HIGH PERFORMANCE MOTORS

Highly advanced motor technology boosts efficiency, generating more power from a compact power source. That means the ultimate performance, durability and run-time comes in a smaller, lighter package.



REDLINK™ INTELLIGENCE

An advanced combination of hardware and software, REDLINK™ Intelligence enables full-circle communication between our batteries and tools, allowing for unmatched levels of performance, protection and productivity.



USER-DRIVEN INNOVATIONS

Instead of making assumptions about what users need, we set out to deliver disruptive innovation by getting out on the jobsite, alongside electricians, to understand their challenges – the frustrations, needs, previous limitations. We set out to completely rethink a solution with new-to-world technology and unparalleled levels of design and engineering. Whether it's bringing cordless power to traditionally corded products and manual activities, or advances to fundamental tools, we're driven to improve workplace productivity.





THE MOST ACCURATE WAY TO CRIMP

The M18™ FORCE LOGIC™ 600 MCM Cu/350 MCM AI Crimper is the Most Accurate Way to Crimp. The crimper produces cULus classified crimps according to the UL 486A-B classification standards for #8 – 600/350 MCM Copper & Dual Rated lugs and splices. The crimper has Predictive Force Monitoring (PFM™) which measures force output delivering the fastest crimp speed and most accurate pressure output along with instant verification.

M12™ 600 MCM
Cable Cutter

HYDRAULIC
FORCE, HAND
TOOL PORTABILITY

The M12™ 600 MCM Cable
Cutter simplifies cable cutting, fits
comfortably into crowded panels a

Cutter simplifies cable cutting, fits comfortably into crowded panels and generates the power of hydraulics. It has an open jaw, powered ratcheting mechanism, and superior blade geometry delivering clean, installation-ready cuts. The compact cable cutter delivers the power needed to cut large-diameter cable and the versatility to deliver high-speed cuts on smaller sizes without ratcheting or lopper style hand tools.



M18™ FORCE LOGIC™ 750 MCM Crimper

THE EASIEST WAY TO CRIMP

The M18™ FORCE LOGIC™ 750 MCM Cu Crimper is the Easiest Way to Crimp. The crimper produces cULus classified crimps according to the UL 486A-B classification standards for #8 – 750 MCM Copper & Dual Rated lugs and splices. Delivering the fastest connections on all sizes when used with EXACT™ 12T U-Style dies, with dies lengths specific to each connector. The crimper has Predictive Force Monitoring (PFM™) which measures force output delivering the fastest crimp speed and accurate pressure with instant verification.



M18 FUEL™ Pipe Threader w/ ONE-KEY™

AUTOSTOP** SIDE-GRIP THREAD STARTS

FASTER THAN CORDED

The first cordless tool of its kind, the M18 FUEL™ Pipe Threader features AUTOSTOP™ technology that senses severe kickback and automatically shuts the tool off. The support arm and variable speed trigger deliver unmatched control and functionality, while the Side-Grip Thread Start eliminates the need for you to hold the spinning die head when starting threads. The M18 FUEL™ Pipe Threader can thread up to 2" black iron pipe, stainless steel, and rigid metal conduit (RMC).

M18™ FORCE LOGIC™ 10 Ton Knockout Tool

THE EASIEST WAY TO PUNCH

The MILWAUKEE® Knockout System makes every step in the hole making process both faster and easier. The EXACT™ Punches and Dies are set up separate from the tool for extreme ease of use, utilizing a quick-connect alignment system that allows users to snap the tool onto the punches and dies without fighting against its weight and pull the trigger to punch the hole with ease.

M18™ ROCKET™
Tower Light/Charger
STAND UP.
LIGHT UP.
CHARGE UP.
The M18™ ROCKET™

Tower Light/Charger is designed to deliver a lighting solution that adapts, performs and survives professional use unlike any other portable work light. The light head can be extended from 4' - 7' to light overhead work or minimize shadows when casting light downward. The multi-directional light head gives users the ability to orient the three independently pivoting light heads to cast light in several directions. With an integrated AC plug, users can plug in the light with a standard extension cord and charge any M18™ REDLITHIUM™ Battery Pack.



THE WORLD LEADER IN **CORDLESS INNOVATION**

12

ONETKEY

Milwaukee Tool is committed to driving unrivaled performance and productivity for the professional trades through our groundbreaking developments in cordless technology.

Our leadership in cordless innovation has helped to shape the industry. We were the first to introduce LITHIUM-ION technology to power tools, and have achieved significant leaps forward

REDLITHIUM" BATTERIES

in advanced motors, the most intelligent electronics, and connected tools. This leadership allows us to continue providing a steady

stream of solutions that exceed the demands of the trades.



HIGH PERFORMANCE

MILWAUKEE's high performance POWERSTATE™ Brushless Motors contain top-grade rare earth magnets and greater copper content, delivering more power and torque for superior application performance.

PURPOSE BUILT

Each motor is uniquely engineered for the demands of the tool.

Motor-optimization ensures the perfect combination of performance, portability and productivity.

POWERSTATE™ BRUSHLESS MOTORS



LIGHT APPLICATIONS

HEAVY APPLICATIONS

LONGER | MORE | MORE MOTOR LIFE POWER RUN-TIME

CELL TECHNOLOGY

Not all batteries are created equal. In our world-class battery lab, battery cells are engineered to deliver the highest performing packs on the jobsite.

PACK CONSTRUCTION

Unique patented designs protect every REDLITHIUM™ Battery, safeguarding your investment through drops, weather exposure, and harsh environments.

ROBUST ELECTRONICS

Innovative communication systems monitor cells, providing temperature and overload protection, while optimizing performance for every tool and battery combination.

MORE

MORE LONGER BATTERY LIFE



DURABILITY

Best-in-class thermal and overload monitoring protects tools in extreme jobsite conditions.


PRODUCTIVITY

Advanced communication features, such as DRIVE CONTROL™, allow users to quickly move from light to heavy applications with the touch of a button.

ONETKEY

Get more out of your tools and equipment than ever before with integrated tool tracking, security and customization. ONE-KEY combines smarter tools with the industry's only free-to-use inventory management program.





UNMATCHED OPTIMIZED PROTECTION | PERFORMANCE | PRODUCTIVITY



UNLOCKING THE DIGITAL JOBSITE









Track your tool's location and if lost, get alerts when found



Lock your tool and disable remotely



Compatible with the Free ONE-KEY™ Inventory Management App

Learn More: milwaukeetool.com/one-key





FORCELOGIC

What is FORCE LOGIC™?

FORCE LOGIC™ is engineered to not only improve upon, but fundamentally change the way high-force tools are used in the field. Through thoughtful design focused on workflow, each tool simplifies a complicated process to deliver the best user experience of its kind. Whether it's a knockout system that can be set up without the weight of the tool for the easiest way to punch, or the 600 MCM Crimper that holds the connector for instant alignment and the fastest repetitive crimps, FORCE LOGIC™ always delivers the smartest way to work.

THE SMARTEST WAY TO WORK



THE MOST ACCURATE WAY TO CRIMP

M18™ FORCE LOGIC™ 600 MCM Cu/350 MCM Al Crimper Kit 2679-22



ALIGN



Proprietary Jaw Holds the Connector for Instant Alignment

CRIMP



PREDICTIVE FORCE MONITORING (PFM™) Ensures Optimal Pressure is Reached

Easy Identification

Wire size marked

Color Coding

For easiest selection

REPEAT



Repetitive Crimping



U-STYLE DIES



Protects against corrosion

Eliminates Cross Referencing

Die size pressed into connector matches wire size






COMPLETE 750 MCM CUTTING & CRIMPING SOLUTION









750 MCM Cu/Al Cutting Jaw 49-16-2780

For use with 2679 M18™ FORCE LOGIC™ 600 MCM Crimper

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS	DESCRIPTION	SPECIFICATIONS
Output Force	6 Tons	Length	13.3"
Cycle Time	2.9 Seconds	Height	5.41"
Capacity Ranges	#8 – 750 MCM Cu/Al	Weight (Tool-Only)	6.98 lbs
Head Rotation	350°		

M18™ FORCE LOGIC™ 600 MCM Crimper Kit

2679-22

Includes: 2679-20 600 MCM Crimper, 600 MCM Commercial U Crimping Jaw, (2) M18™ REDLITHIUM™ CP2.0 Battery Packs, Multi-Voltage Charger, Carrying Case



750 MCM Cu/Al Crimping Jaw w/ 400 - 750 Al 6T U-Style Die

49-16-750A

Includes: 750 MCM Cu/Al Crimping Jaw, 400 MCM Al U-Style Die, 500 MCM Al U-Style Die, 600 MCM Al U-Style Die, 750 MCM Al U-Style Die, Carrying Case

M18[™] FORCE LOGIC[™] 600 MCM Cu Crimper Kit w/750 MCM Expanded Jaw

2679-750C

Includes: 2679-20 600 MCM Crimper, 600 MCM Commercial U Crimping Jaw, (2) M18" REDLITHIUM" CP2.0 Battery Packs, Multi-Voltage Charger, 750 MCM Cu/Al Crimping Jaw, #8 – 750 MCM Copper Style Dies, Carrying Case

M18™ FORCE LOGIC™

Kit w/ 750 MCM

Expanded Jaw

2679-750A

600 MCM AI Crimper

Includes: 2679-20 600 MCM Crimper, 600 MCM Commercial U Crimping Jaw, (2) M18" REDLITHIUM" CP2.0 Battery Packs, Multi-Voltage Charger, 750 MCM Cu/Al Crimping Jaw, #8 – 750 MCM Aluminum Style Dies, Carrying Case



750 MCM Cu/Al Crimping Jaw w/ 750 MCM Cu 6T U-Style Die

49-16-750C

Includes: 750 MCM Cu/Al Crimping Jaw, 750 MCM Cu U-Style Die, Carrying Case



#8 AWG -350 MCM Aluminum U-Style Die Kit 49-16-KITA



#8 AWG -600 MCM Copper U-Style Die Kit 49-16-KITC

See page 15 for Accessories.



THE EASIEST **WAY TO CRIMP**

M18™ FORCE LOGIC™ 750 MCM Crimper Kit 2779-22



ALIGN



Lightest, Most Balanced for Easiest Alignment

CRIMP



PREDICTIVE FORCE MONITORING (PFM[™]) Ensures **Full Pressure**

REPEAT









EXACT 12T U-STYLE DIES

FASTEST CONNECTIONS, ALL SIZES

Fastest



Easy Identification

Wire size marked on each die

Eliminates Cross

Referencing

Die size pressed into connector matches wire size



Color Coding

For easiest selection

SPECIFICATIONS AND MODELS

		<u></u>	
DESCRIPTION	SPECIFICATIONS	DESCRIPTION	SPECIFICATIONS
Output Force	12 Tons	Length	16"
Cycle Time	7 Seconds	Height	11.09"
Capacity Ranges	#8 – 750 MCM Cu/Al	Weight (Tool-Only)	11.5 lbs
Head Rotation	350°		

M18™ FORCE LOGIC™ **750 MCM Crimper Kit**

Includes: 2779-20750 MCM Crimper, (1) M18™ REDLITHIUM™ XC5.0 Battery Pack, (1) M18™ REDLITHIUM™ CP2.0 Battery Pack, Multi-Voltage Charger, Carrying Case



M18™ FORCE LOGIC™ 750 MCM Crimper Kit w/ EXACT™ #6 - 750 MCM Al Dies

Includes: 2779-20750 MCM Crimper, (1) M18[™] REDLITHIUM™ XC5.0 Battery Pack, (1) M18™ REDLITHIUM™ CP2.0 Battery Pack, Multi-Voltage Charger, EXACT™ #6 - 750 MCM Al Dies, Carrying Case



EXACT™ 12T #6 AWG -750 MCM Cu **U-Die Kit** 49-12-KITC

M18[™] FORCE LOGIC[™] 750 MCM Crimper Kit w/ EXACT[™] #6 - 750 MCM Cu Dies

Includes: 2779-20750 MCM Crimper, (1) M18[™] REDLITHIUM[™] XC5.0 Battery Pack, (1) M18[™] REDLITHIUM[™] CP2.0 Battery Pack, Multi-Voltage Charger, EXACT[™] #6 - 750 MCM Cu Dies, Carrying Case





EXACT™ 12T #6 AWG -**750 MCM AI U-Die Kit** 49-12-KITA



See page 15 for Accessories.

THE EASIEST WAY TO CRIMP

M18™ FORCE LOGIC™ 15T Crimper Kit 2879-22



ALIGN



Lightest, One-Handed Grip for Easiest Alignment

CRIMP



PREDICTIVE FORCE MONITORING (PFM™) Ensures
Full Pressure

REPEAT







SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Output Force	15 Tons
Cycle Time	8.5 Seconds (1000 MCM AI)
Capacity Ranges	#8 – 1500 MCM Cu #8 – 1250 MCM Al

350°
23.25"
5.5"
16.11 lbs

M18™ FORCE LOGIC™ 15T Crimper Kit

2879-22

Includes: 2879-20 15T Crimper, (1) M18" REDLITHIUM" CP2.0 Battery Pack, (1) M18" REDLITHIUM" XC5.0 Battery Pack, Multi-Voltage Charger, Inverter, 15T P-to-U-Die Adapter, Carabiner, Contractor Bag



Battery and Charger not included.





ACCESSORIES



M18™ FORCE LOGIC™ 600 MCM Crimper Accessories

Compatible with 2679

Compatible Jaws

49-16-U000 600 MCM Crimping Jaw 49-16-2780 750 MCM Cu/Al Cable Cutting Jaw 49-16-U111 750 MCM Cu/Al Cable Crimping Jaw

Cutter Replacement Blades

48-44-0411 750 MCM Cu/Al Cable Cutting Blades

Accessory Kits

 49-16-KITA
 #8 AWG – 350 MCM Aluminum U-Style Die Kit

 49-16-750A
 400 – 750 MCM Aluminum U-Style Die & Jaw Kit

 49-16-KITC
 #8 AWG – 600 MCM Copper U-Style Die Kit

 49-16-750C
 750 MCM Copper U-Style Die & Jaw Kit

Copper U-Style Dies

49-16-U008C #8 Copper U-Style Die 49-16-U006C #6 Copper U-Style Die 49-16-U004C #4 Copper U-Style Die 49-16-U002C #2 Copper U-Style Die 49-16-U001C #1 Copper U-Style Die 49-16-U01AC 1/0 Copper U-Style Die 49-16-U02AC 2/0 Copper U-Style Die 49-16-U03AC 3/0 Copper U-Style Die 49-16-U04AC 4/0 Copper U-Style Die 49-16-U250C 250 MCM Copper U-Style Die 49-16-U300C 300 MCM Copper U-Style Die 49-16-U350C 350 MCM Copper U-Style Die 49-16-U400C 400 MCM Copper U-Style Die 49-16-U500C 500 MCM Copper U-Style Die 49-16-U600C 600 MCM Copper U-Style Die 49-16-U750C 750 MCM Copper U-Style Die

Aluminum Dual-Rated U-Style Dies

49-16-U008	#8 Aluminum U-Style Die
49-16-U006	#6 Aluminum U-Style Die
49-16-U004	#4 Aluminum U-Style Die
49-16-U002	#2 Aluminum U-Style Die
49-16-U001	#1 Aluminum U-Style Die
49-16-U01A	1/0 Aluminum U-Style Die
49-16-U02A	2/0 Aluminum U-Style Die
49-16-U03A	3/0 Aluminum U-Style Die
49-16-U04A	4/0 Aluminum U-Style Die
49-16-U250	250 MCM Aluminum U-Style Die
49-16-U300	300 MCM Aluminum U-Style Die
49-16-U350	350 MCM Aluminum U-Style Die
49-16-U400	400 MCM Aluminum U-Style Die
49-16-U500	500 MCM Aluminum U-Style Die
49-16-U600	600 MCM Aluminum U-Style Die
49-16-U750	750 MCM Aluminum U-Style Die



M18[™] FORCE LOGIC[™] 750 MCM Crimper Accessories Compatible with 2779

Accessory Kits

49-12-KITC EXACT™ 12T #6 AWG - 750 MCM Cu U-Die Kit 49-12-KITA EXACT™ 12T #6 AWG - 750 MCM Cu U-Die Kit

EXACT™ 12T Copper U-Style Dies

49-12-U008C EXACT™ #8 Copper 12T U-Style Die 49-12-U006C EXACT™ #6 Copper 12T U-Style Die 49-12-U004C EXACT™ #4 Copper 12T U-Style Die 49-12-U002C EXACT™ #2 Copper 12T U-Style Die 49-12-U001C EXACT™ #1 Copper 12T U-Style Die 49-12-U01AC EXACT™ 1/0 Copper 12T U-Style Die 49-12-U02AC EXACT™ 2/0 Copper 12T U-Style Die 49-12-U03AC EXACT™ 3/0 Copper 12T U-Style Die 49-12-U04AC EXACT™ 4/0 Copper 12T U-Style Die 49-12-U250C EXACT™ 250 MCM Copper 12T U-Style Die 49-12-U300C EXACT™ 300 MCM Copper 12T U-Style Die 49-12-U350C EXACT™ 350 MCM Copper 12T U-Style Die 49-12-U400C EXACT™ 400 MCM Copper 12T U-Style Die 49-12-U500C EXACT™ 500 MCM Copper 12T U-Style Die 49-12-U600C EXACT™ 600 MCM Copper 12T U-Style Die 49-12-U750C EXACT™ 750 MCM Copper 12T U-Style Die

EXACT[™] 12T Aluminum U-Style Dies

49-12-U008 EXACT™ #8 Aluminum 12T U-Style Die 49-12-U006 EXACT™ #6 Aluminum 12T U-Style Die 49-12-U004 EXACT™ #4 Aluminum 12T U-Style Die 49-12-U002 EXACT™ #2 Aluminum 12T U-Style Die 49-12-U001 EXACT™ #1 Aluminum 12T U-Style Die 49-12-U01A EXACT™ 1/0 Aluminum 12T U-Style Die 49-12-U02A EXACT™ 2/0 Aluminum 12T U-Style Die 49-12-U03A EXACT™ 3/0 Aluminum 12T U-Style Die 49-12-U04A EXACT™ 4/0 Aluminum 12T U-Style Die 49-12-U250 EXACT™ 250 MCM Aluminum 12T U-Style Die 49-12-U300 EXACT™ 300 MCM Aluminum 12T U-Style Die 49-12-U350 EXACT™ 350 MCM Aluminum 12T U-Style Die 49-12-U400 EXACT™ 400 MCM Aluminum 12T U-Style Die 49-12-U500 EXACT™ 500 MCM Aluminum 12T U-Style Die 49-12-U600 EXACT™ 600 MCM Aluminum 12T U-Style Die 49-12-U750 EXACT™ 750 MCM Aluminum 12T U-Style Die



M18™ FORCE LOGIC™ 15T Crimper Accessories

Compatible with 2879

15T Crimper P-Dies


49-1-PUAD	15T P-to-U Die Adapter
49-15-P000	15T 1000 MCM AI P-Die
49-15-P750	15T 750 MCM AI P-Die
49-15-P800	15T 800 MCM AI P-Die
49-15-P750C	15T 750 MCM Cu P-Die
49-15-P800C	15T 800 MCM Cu P-Die
49-15-P000C	15T 1000 MCM Cu P-Die


15

See page 15 for Accessories.

PREDICTIVE FORCE MONITORING PFM™

PFM™ is the industry's first adaptive pressure control system, comprised of a seal-free high speed hydraulic pump, fine-tuned pressure sensor and POWERSTATE™ Brushless Motor all orchestrated by REDLINK PLUS™ Intelligence. PFM™ measures pressure and modifies all performance levels of the system, pushing the hydraulics extremely fast through the beginning of the cycle and landing them softly at the right pressure, while protecting internal components, during the completion of the crimp. The result is the single fastest, most precise and most durable crimping system on the market.





UL CLASSIFICATION MATRIX



	Dual Rated Lugs & Splices						
	Anderson	Blackburn®	Burndy	ILSC0	Panduit	Penn-Union	T&B
Splice Model #'s	VACS	ASP	YS-A	AS & ASN	SA	BCUA	60501-60578
Lug Model #'s	VACL	ATL	YA-A & YA-ATN	ACL, 2 ACL, ACN, 2ACN, ALND & ALNS	LAA & LAB	BLUA	60101-60178 & 60230-60278
	Copper Short & Long Barrel Lugs & Splices						
	Anderson	Blackburn®	Burndy	ILSC0	Panduit	Penn-Union	T&B
Splice Model #'s	VHS & VHSS	CSP & CU	YS, YS-L & YS-T	CT & CTL	SCH, SCL, SCS & SCSS	BBCU & BCU	54504-54523-TB & 54504-54823
Lug Model #'s	VHCL & VHCS	CTL, CTL-L, CTL-2 & LCN	YA, YA-L, YA-L-NT, YA-L-2NT, YA-L-TC, YA-L-2TC, YA-2L, YA-2LN, YA-2N, YA-TC, YA-2TC & YAZ	CLN, CLND, CLNS, CLW, CLWD, CRA, CRB, CRA-L, CRB-L, CRA-2L, CRB-2L, CSW & CSWS	LCA, LCAS, LCB, LCC & LCD	BBLU & BLU	54104-54123-TB, 54204-54223, 54850BE-54880BE & 54930BE-54923BE

INTERNAL TESTING LAB



Crimper testing is important because the stakes are high. Any time a user makes a crimp with a MILWAUKEE® crimper, whether it be on a lug or terminal connection, they are putting their professional reputation on the line. MILWAUKEE® leveraged hydraulic expertise from around the world and also use third-party testing agencies like UL to help build test competencies. The advantage of having the test lab in house is speed. We get the test engineers and the design engineers working together to identify issues and solve them quickly. From prototype to mass production, we're testing along the way.

THE SIMPLEST WAY TO CRIMP

M18™ FORCE LOGIC™ 750 MCM Dieless Crimper Kit 2877-22




ALIGN



for Easiest Alignment

CRIMP



AUTO DISTANCE CONTROL Continuously Measures Distance & Pressure for Uniform Appearance Across All Sizes

CONFIRM







SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Cycle Time	3.3 Seconds
Capacity Ranges	#6 – 750 MCM Cu/Al
Head Rotation	180°
Length	18.9"
Height	6.5"
Weight (Tool-Only)	9 lbs

M18™ FORCE LOGIC™ 750 MCM Dieless Crimper Kit 2877-22


Includes: 2877-20 750
MCM Dieless Crimper, (2) M18™
REDLITHIUM™ CP2.0 Battery Packs,
Multi-Voltage Charger, Carrying Case





AUTO DISTANCE CONTROL

Introducing Auto Distance Control, the industry's first autonomous distance based crimping technology. Auto Distance Control utilizes a linear distance sensor and linear encoded ram to constantly monitor the stroke of the tool with pinpoint accuracy. This distance control combined with continuous pressure monitoring enables the tool to measure the size of the connector the instant the ram makes contact. The tool uses that measurement to calculate a target final distance that delivers the optimal amount of compression for each size. Once the ram reaches the calculated target distance it checks pressure to ensure enough force was created and gives instant verification of a successful cycle through the Green LED indicator on the top of the tool.





THE EASIEST WAY TO PUNCH

M18™ FORCE LOGIC™ 6 Ton Knockout Tool Kit 2677-23 M18™ FORCE LOGIC™ 10 Ton Knockout Tool Kit 2676-23





SET UP



Bold Crosshairs for Easiest Alignment

CONNECT



One-Handed Connection

PUNCH



Single Trigger Activation

EXACT ACCESSORIES



Rapid Reset Draw Stud

RELEASE

■ Turn ball pull 1/4 to the left to release from draw stud



DUMP

Slide die off and drop slugs



RESET

 Align die and turn ball pull 1/4 to the right to lock for next punch

MILD AND STAINLESS STEEL RATED



Splits Slugs up to 1-1/2"

> Gripping Surface for Faster Threading

Die



Punch

CAPACITY

			MILD	STEEL		ST	AINLESS STI	EEL
		16 ga	14 ga	12 ga	10 ga	16 ga	14 ga	12 ga
	1/2"	✓	✓	✓	✓	✓	✓	✓
	3/4"	✓	✓	✓	✓	✓	✓	✓
7	1"	✓	✓	✓	✓	✓	✓	✓
	1-1/4"	✓	✓	✓	✓	✓	✓	✓
7/1	1-1/2"	✓	✓	✓	✓	✓	✓	✓
	2"	✓	✓	✓	✓	✓	✓	✓
	2-1/2"	✓	✓	✓		✓	✓	
THE PART COLD !	3"	✓	✓	✓		✓	✓	
6 TON	3-1/2"	✓	✓	✓		✓	✓	
	4"	✓	✓	✓		✓	✓	
	5"	✓	✓]	✓		
	6"	✓	✓			✓		
			MILD	STEEL		ST	AINLESS ST	EEL
		16 ga	MILD :	STEEL 12 ga	10 ga	16 ga	AINLESS STE	EEL 12 ga
	1/2"	16 ga ✓			10 ga ✓			
	1/2" 3/4"	-	14 ga	12 ga		16 ga	14 ga	12 ga
		√	14 ga	12 ga ✓	√	16 ga ✓	14 ga ✓	12 ga ✓
	3/4"	✓ ✓	14 ga 🗸	12 ga ✓	✓ ✓	16 ga 🗸	14 ga 🗸	12 ga 🗸
	3/4"	✓ ✓ ✓	14 ga	12 ga 🗸	✓ ✓ ✓	16 ga ✓ ✓	14 ga	12 ga
	3/4" 1" 1-1/4"	* * * * * * * * * * * * * * * * * * *	14 ga	12 ga	* * * * *	16 ga	14 ga	12 ga
	3/4" 1" 1-1/4" 1-1/2"	· · · · · · · · · · · · · · · · · · ·	14 ga	12 ga	* * * * * * * * * * * * * * * * * * *	16 ga	14 ga	12 ga
	3/4" 1" 1-1/4" 1-1/2" 2"	* * * * * * * * * * * * * * * * * * *	14 ga	12 ga	* * * * * * * * * * * * * * * * * * *	16 ga	14 ga	12 ga
	3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2"	* * * * * * * * * * * * * * * * * * *	14 ga	12 ga	* * * * * * * * * * * * * * * * * * *	16 ga	14 ga	12 ga
10 TON	3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3"	* * * * * * * * * * * * * * * * * * *	14 ga	12 ga	* * * * * * * * * * * * * * * * * * *	16 ga	14 ga	12 ga
	3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 3-1/2"	· · · · · · · · · · · · · · · · · · ·	14 ga	12 ga	* * * * * * * * * * * * * * * * * * *	16 ga	14 ga	12 ga

^{✓ =} Compatible
■ = Not designed for

SPECIFICATIONS AND MODELS

DESCRIPTION	6 TON	10 TON
Mild Steel Capacity	4" in 12 Gauge / 2" in 10 Gauge	6" in 12 Gauge / 4" in 10 Gauge
Stainless Steel Capacity	4" in 14 Gauge / 2" in 12 Gauge	6" in 14 Gauge / 4" in 12 Gauge
Output Force	6 Tons	10 Tons
Height / Length / Width	4.49" / 11.7" / 2.31"	5.5" / 13.63" / 3"
Weight (Tool-Only)	4.3 lbs	7.1 lbs

M18™ FORCE LOGIC™ 6 Ton Knockout Tool Kit

2677-23, 2677-21, 2677-20 (No Punches or Dies)

Includes: 2677-23 (1) M18™ REDLITHIUM™ CP2.0 Battery Pack, EXACT™ 1/2" – 4"
Conduit Punches and Dies; 2677-21 (1) M18™ REDLITHIUM™ CP2.0 Battery Pack, EXACT™
1/2" – 2" Conduit Punches and Dies; 2677-20 (1) M18™ REDLITHIUM™ CP2.0 Battery Pack
(No Punches or Dies Included); All Kits Include: 2677-20 6 Ton Knockout Tool,
(2) Draw Studs, Quick Connect Alignment System, Multi-Voltage Charger, Carrying Case

M18™ FORCE LOGIC™ 10 Ton Knockout Tool Kit

2676-23, 2676-22, 2676-20 (No Punches or Dies)

Includes: 2676-23 (2) M18™ REDLITHIUM™ XC3.0 Battery Packs, EXACT™ 1/2" – 4" Conduit Punches and Dies; 2676-22 (2) M18™ REDLITHIUM™ XC3.0 Battery Packs, 1/2" – 2" EXACT™ Conduit Punches and Dies; 2676-20 (2) M18™ REDLITHIUM™ XC3.0 Battery Packs (No Punches or Dies Included); All Kits Include: 2676-20 10 Ton Knockout Tool, (3) Draw Studs, Quick Connect Alignment System, Multi-Voltage Charger, Carrying Case





^{*}Die sizes 2-1/2" – 4" must be used with adapter (model number 49-16-2684) for competitive compatibility.

EXACT ACCESSORIES



Includes: 3/8" and 3/4" Ball Bearing Draw Studs, EXACT" 1/2" – 1-1/4" Conduit Punches and Dies, Carrying Case

22



Knockout Set 49-16-2693

Includes: 7/16" and 3/4" Draw Studs, EXACT™ 1/2" - 2" Conduit Punches and Dies, Carrying Case



1/2" - 2" Conduit EXACT™ Hand

Draw Studs, EXACT™ 1/2" - 2"

Punches and Dies, Hand Ratchet,

Ratchet Knockout Set 49-16-2694

Knockout Set 49-16-2695 Includes: 3/8" and 3/4" Ball Bearing Includes: 1-1/8" Draw Stud, EXACT

2-1/2" - 4" Conduit Punches and Dies, Carrying Case



EXACT™ Dies and EXACT™ Punches can be used on mild and stainless steel. Must be used together for stainless capability

M18 FORCELOGIC

THE FASTEST **INSTALLATION-READY CUTS**



M18™ FORCE LOGIC™ Cable Cutter Kit w/ 750 MCM Cu Jaws 2672-21

ACCESS



In-line Design With Compact Open-jaw Fits in the Tightest Panels

ALIGN



Fully Balanced, Centered **Grip for Maximum Control**

CUT



Cuts 3X Faster

SPECIFICATIONS AND MODELS

DESCRIPTION	2672-21 SPECIFICATIONS	2672-21F SPECIFICATIONS
Cycle Time	3 Seconds	3 Seconds
Capacity Ranges	750 MCM Cu/ 1000 MCM Al*	777 MCM Fine Stranded Copper Wire
Jaw Opening	1-1/4"	1-5/8"
Head Rotation	350°	350°
Length	14"	16.11"
Height	5.41"	5.1"
Weight (Tool-Only)	6.92 lbs	7.53 lbs

*Will Cut Any Al up to 1.225" in diameter

M18™ FORCE LOGIC™ Cable Cutter Kit w/ 750 MCM Cu Jaws

2672-21

Includes: 2672-20 Cable Cutter, (1) M18™ REDLITHIUM™ CP2.0 Battery Pack, 750 MCM Cable Cutter Jaw, Allen Wrench, Multi-Voltage Charger, Carrying Case



M18™ FORCE LOGIC™ Cable Cutter Kit w/ Fine Stranded **Wire Jaws**

2672-21F

Includes: 2672-20 Cable Cutter,
(1) M18™ REDLITHIUM™ CP2.0 Battery Pack, Fine Stranded Wire Cutting Jaw, Allen Wrench, Multi-Voltage Charger, Carrying Case



Related Accessories:

Cutter Jaws

49-16-2772 M18™ Cu/Al Cutting Jaw

49-16-2773 M18™ ACSR Cutting Jaw

49-16-2777 1/2" EHS Guy Wire Cutting Jaw 49-16-2778 Fine Stranded Wire Cutting Jaw

Cutter Replacement Blades

48-44-0411 Copper Replacement Blades **48-44-0412** ACSR Replacement Blades **48-44-2777** 1/2" EHS Guy Wire Replacement Blade







THE MOST CONTROLLED WAY TO CUT

Tillutukee Pronessor

M18™ FORCE LOGIC™ 3" Underground Cable Cutter Kit 2776-21

ACCESS




In-line Design, Easiest Access

ALIGN



Fully Balanced, Maximum Control

CUT



Fastest Cuts

SPECIFICATIONS AND MODELS

DES	CRIPTION	SPECIFICATIONS
Cycle Time		7 Seconds
	Single Conductor	1500 MCM Cu, 15kV 1500 MCM Al, 46kV
Cut Capacity	3X Single Conductor	350 MCM Cu, 15kV
	3 Conductor	3 x 500 MCM Cu 3 x 750 MCM AI
Jaw Opening		3-1/4"
Head Rotat	ion	350°
Length		20.8"
Height		12.4"
Weight (Tool-Only)		15.7 lbs



M18[™] FORCE LOGIC[™] 3^{II} Underground Cable Cutter Kit

2776-2

Includes: 2776-20 3" Underground Cable Cutter, (1) M18™ REDLITHIUM™ XC5.0 Battery Pack, Carabiner, Multi-Voltage Charger, Inverter, Utility Bag

Related Accessory:

49-16-2774 3" Underground Replacement Blades

M12

HYDRAULIC FORCE, HAND TOOL PORTABILITY

M12[™] 600 MCM Cable Cutter Kit 2472-21XC



SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS	DESCRIPTION	SPECIFICATION
cle Time	3 Seconds, 7 Seconds	Length	10.5"
	600 MCM Cu	Height	10.54"
city Ranges	750 MCM AI 1-3/16" Communication Cable	Weight (Tool-Only)	6.2 lbs
Opening	1-7/16"		

M12™ 600 MCM Cable Cutter Kit

2472-21X

Includes: 2472-20 600 MCM Cable Cutter, (1) M12™ REDLITHIUM™ XC3.0 Battery Pack, Multi-Voltage Charger, Carrying Case



M12™ 600 MCM Cable Cutter

2472-20 (Tool-Only)

Battery and Charger not included

Related Accessory: 48-44-0410 M12[™] 600 MCM Cable Cutter Blade







M18 FUEL™ ANGLER™ 120' Steel Pulling Fish Tape Kit 2873A-22




ANGLER*
INTERCHANGEABLE
FISH TAPE SYSTEM

POWER TO PULL THROUGH 360° BENDS

AUTO-RUN™∣ NO MESS, POWERED FEED & RETRACT

ANTI-BINDING







INTERCHANGEABLE FISH TAPE SYSTEM



Interchange drums on a single powered base to easily swap between different sizes and types.





POWERED BASE

M18 FUEL™ ANGLER™ PULLING FISH TAPE POWERED BASE

- POWERSTATE™ Brushless Motor
- REDLINK PLUS™ Intelligence
- REDLITHIUM™ CP2.0 Battery Pack

INCLUDED IN 2873-20, 2873A-22, 2873B-22



COMPATIBLE DRUMS

STEEL 120' x 1/8" 48-44-5176 240' x 1/8" 48-44-5178 **NON-CONDUCTIVE 100**¹ 48-44-5195

200¹ 48-44-5197

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS	DESCRIPTION	SPECIFICATIONS
Pulling Capacity	(4) #10 Wires	Height	17.7"
Interchangeable Drums	Yes		18.65 lbs (2873B)
Length	13.2"	Weight	15.65 lbs (2873A) 6.4 lbs (2873)
Width	5.5"		



M18 FUEL™ ANGLER™ 120' Steel Pulling **Fish Tape Kit**

2873A-22

Includes: 2873-20 ANGLER™ Pulling Fish Tape Powered Base, 48-44-5176 ANGLER™ 120' x 1/8" Steel Pulling Fish Tape Drum, (2) M18™ REDLITHIUM™ CP2.0 Battery Packs, Multi-Voltage Charger



M18 FUEL™ ANGLER™ 240' Steel Pulling **Fish Tape Kit**

2873B-22

Includes: 2873-20 ANGLER™ Pulling Fish Tape Powered Base, 48-44-5178 ANGLER™ 240' x 1/8" Steel Pulling Fish Tape Drum, (2) M18™ REDLITHIUM™ CP2.0 Battery Packs, Multi-Voltage Charger



M18 FUEL™ ANGLER™ Pulling Fish Tape Powered Base

2873-20 (Tool-Only)

Includes: 2873-20 ANGLER™ Pulling Fish Tape Powered Base

Drum, Battery and Charger not included.





M12 FUEL™ 3/8" Digital Torque Wrench w/ ONE-KEY™ Kit 2465-22


M12 FUEL™ 1/2" Digital Torque Wrench w/ ONE-KEY™ Kit 2466-22




UP TO **50% FASTER** INSTALLATION

ACCURACY
UP TO +/- 2%

PRODUCTIVE
TORQUE REPORTING







TOOL FEATURES



SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS		DESCRIPTION	SPECIFIC	CATIONS
	2465	2466		2465	2466
Torque Range	10 - 100 ft-lbs	12.5 - 150 ft-lbs	Available Presets	1	5
Tool Accuracy		CCW: +/-3%	Data Storage Capacity	28,500	Events
1001710001100	(20 – 100%	of Full Scale)	Calibration	1 Year or 5,	000 Cycles
Ratcheting Angle	4.	5°	Measuring Units	ft_lhe in_lhe	, Nm, kg-cm
Anvil Size	3/8" Ball Detent	1/2" Ball Detent	-	*	, , ,
DDM	0 10	0 RPM	Length (Tool-Only)	23.3"	23.5"
RPM	0 – 10	U RPIVI	Weight (Tool-Only)	5.5 lbs	5.7 lbs



M12 FUEL™ 3/8" Digital Torque Wrench w/ ONE-KEY™ Kit

2465-2

Includes: 2465-20 3/8" Digital Torque Wrench w/ ONE-KEY™, (2) M12™ REDLITHIUM™ CP2.0 Battery Packs, Certificate of Calibration, M12™ Charger, Carrying Case



M12 FUEL™ 3/8" Digital Torque Wrench w/ ONE-KEY™ (Tool-Only)

2465-20

Includes: 2465-20 3/8" Digital Torque Wrench w/ ONE-KEY™, Certificate of Calibration, Carrying Case Battery and Charger not included.



M12 FUEL™ 1/2" Digital Torque Wrench w/ ONE-KEY™ Kit

2466-22

Includes: 2466-20 1/2" Digital Torque Wrench w/ ONE-KEY™, (2) M12™ REDLITHIUM™ CP2.0 Battery Packs, Certificate of Calibration, M12™ Charger, Carrying Case



M12 FUEL™ 1/2" Digital Torque Wrench w/ ONE-KEY™ (Tool-Only) 2466-20

Includes: 2466-20 1/2" Digital Torque Wrench w/ ONE-KEY™, Certificate of Calibration, Carrying Case Battery and Charger not included.



SITE LIGHTING

ADAPTS. PERFORMS. SURVIVES.



ADAPTS.


MILWAUKEE® site lights offer professionals the ability to bring light directly to their work as well as control beam intensity and direction for greater productivity on the jobsite.

PERFORMS.

Through the use of TRUEVIEW™ LEDs and REDLITHIUM™ Batteries, MILWAUKEE® site lights shine brighter and last longer.

SURVIVES.

Reinforced, impact resistant housings and lenses stand up to the challenges of industrial use, while superior temperature management protects LEDs throughout their lifetime.



MILWAUKEE® delivers the industry's first line of trade-focused, high-performance personal lights designed to ADAPT, PERFORM and SURVIVE. These personal lights are compact, can be worn or carried and are built to withstand the toughest conditions on and off the job site. Our personal lights combine the best cordless and LED technology and are convenient, portable solutions that increase productivity and safety.





MILWAUKEE® task lights are built to provide multi-directional light in large job site spaces without compromising mobility. These cordless LED task lights are designed to survive in the toughest conditions and easily set up in seconds. Our site task lighting increases productivity through best-in-class output and durability, making them viable replacements for outdated corded halogen and metal halide lights.



MILWAUKEE® has disrupted the time-consuming and costly processes associated with temporary lighting with our RADIUS™ LED Temporary Site Lights. These temp lights significantly reduce installation time and ensure the maintenance process is fast and simple. The LED temp lighting is durable and can withstand the demands of installation across multiple job sites. Our users can utilize these solutions from job to job, increasing their productivity and significantly reducing cost over time without sacrificing performance and safety.





INDUSTRY'S FIRST TASK, AREA & OVERHEAD LIGHT

M18™ RADIUS™ Compact Site Light w/ ONE-KEY™

2146-20, Also Available: 2145-20 2147-20 Equipped with NEMA L5-20 Twistlock Outlets







AC INPUT AND OUT String Multiple Lights Together









Available Models

?
#0 *
Milwaukee ONE ONE PREY

	Daisy Chain	ONE-KEY TM	IP54	Twist Lock
2145-20	X		X	
2146-20	X	X	X	
2147-20	X		X	X

EASY SETUP. INSTANT LIGHT. NO MAINTENANCE.

RADIUS™ LED **130W Temporary Site Light**

2156-AC





POWERED BY









PERSONAL LIGHTING



AVAILABLE LIGHTING

USB Rechargeable 700L Focusing Flashlight Kit (2110-21)	
USB Rechargeable Hard Hat Headlamp Kit (2111-21)	
USB Rechargeable ROVER™ Magnetic Flood Light Kit (2112	-21)
USB Rechargeable Pivoting Flashlight Kit (2113-21)	
USB Rechargeable ROVER™ Pivoting Flood Light Kit (2114-	21)
USB Rechargeable Low-Profile Headlamp (2115-21)	
USB Rechargeable BEACON™ Hard Hat Light Kit (2116-21)	
MILWAUKEE® Headlamp (2103)	
MILWAUKEE® Spot/Flood Headlamp (2104)	
MILWAUKEE® Pen Light (2105)	
MILWAUKEE® 325L Focusing Flashlight (2107)	
ROVER™ Magnetic Flood Light (2108)	

ROVER™ Magnetic Flood Light (2108)
TASK
JSB Rechargeable Utility Hot Stick Light Kit (2119-22)
M18 [™] ROVER [™] Dual Power Flood Light (2360-20)
M18™ ROVER™ Flood Light (2361-20)
M18 [™] ROVER [™] Mounting Flood Light (2365-20)
M12 [™] ROVER [™] Mounting Flood Light (2364-20)
M18 [™] ROCKET [™] Dual Power Tower Light (2131-20)
M18™ ROCKET™ Tower Light/Charger (2135-20)

TARK CONT
TASK CONT.
M18™ ROCKET™ Dual Pack Tower Light w/ ONE-KEY™ (2120-20)
M12 [™] ROCKET [™] Dual Power Tower Light (2132-20)
M18™ RADIUS™ Compact Site Light w/ Flood Mode (2144-20)
M18 [™] RADIUS [™] Compact Site Light (2145-20)
M18 [™] RADIUS [™] Compact Site Light w/ ONE-KEY [™] (2146-20)
M18™ RADIUS™ Site Light (2151-20)
M18 [™] RADIUS [™] Site Light/Charger w/ ONE-KEY [™] (2150-20)
M18 [™] Search Light (2354-20)
M18 [™] Trouble Light w/ USB Charging (2363-20)
M18 [™] Stick Light (2352-20)
M18 [™] Work Light (2735-20)
M12 [™] Metal Flashlight (2355-20)
M12 [™] Spot Light (2353-20)
M12™ Trouble Light w/ USB Charging (2362-20)
M12 [™] Stick Light (2351-20)
M12™ Work Light (49-24-0146)
TEMP

RADIUS™ LED 70W Temporary Site Light (2155-AC)

RADIUS™ LED 130W Temporary Site Light (2156-AC)





M12™ CORDLESS



1/2" HAMMER DRILL/DRIVER KIT 2504-22, 2504-20



1/2" DRILL/DRIVER KIT 2503-22, 2503-20



M12 FUEL 1/4" HEX IMPACT DRIVER KIT 2553-22, 2553-20



M12 FUEL SURGE™ 1/4" HEX HYDRAULIC DRIVER KIT 2551-22, 2551-20









5/8" SDS PLUS **ROTARY HAMMER KIT** 2416-22XC, 2416-21XC, 2416-20



M12™ HAMMERVAC™ UNIVERSAL DUST EXTRACTOR KIT 2306-22, 2306-20



M12 FUEL HACKZALL® 2520-21XC, 2520-20



2420-22, 2420-21, 2420-20



M12™ SUB-COMPACT BAND SAW KIT 2429-21XC, 2429-20



M12™ SOLDERING IRON KIT




2258-21





EDLITHIUM BATTERIES GUIDE











48-11-2420

M12™ REDLITHIUMT

CP2.0 Battery Pack

48-11-2401

CP1.5 Battery Pack

M12™ REDLITHIUM™

48-11-2411

2-Pack



48-11-2460 M12[™] REDLITHIUM[™] XC6.0 Battery Pack



48-11-2440 M12™ REDLITHIUM™ XC4.0 Battery Pack



48-11-2402 $M12^{^{\scriptscriptstyle{\mathsf{TM}}}}\,REDLITHIUM^{^{\scriptscriptstyle{\mathsf{TM}}}}$ XC3.0 Battery Pack

48-11-2412 2-Pack



2488-22, 2488-20



M12[™] 102 x 77 INFRARED CAMERA KIT



M12[™] CABLE STRIPPER KIT 2435CU-21, 2435AL-21, 2435X-21, 2435-20

34 **FULL LISTING AVAILABLE ON MILWAUKEETOOL.COM**





M12™ CHARGERS AND STARTER KITS

M12™ CHARGERS



M12™ FOUR BAY SEQUENTIAL CHARGER

M12™ COMPACT CHARGER AND POWER SOURCE 48-59-1201



M12™ STARTER KITS




M12™ REDLITHIUM™ M12™ REDLITHIUM™ XC4.0 SYSTEM STARTER KIT CP2.0 SYSTEM STARTER KIT



(Batteries Sold Separately)





M18™ CORDLESS



M18 FUEL 1/2" HAMMER 2804-22, 2804-20

w/ ONE-KEY™ 2806-22, 2806-20



M18 FUEL

1-1/2" MAGNETIC DRILL KIT 2787-22HD, 2787-22



M18 FUEL

1/2" DRILL/DRIVER KIT 2803-22, 2803-20

w/ ONE-KEY™ w/ ONE-KEY™ 2805-22, 2805-20



HOLE HAWG® RIGHT ANGLE DRILL w/ QUIK-LOK™ KIT 2808-22, 2808-20



HOLE HAWG® 1/2" RIGHT



1-9/16" SDS MAX **ROTARY HAMMER KIT** 2717-22HD, 2717-20



MIS PLUS D-HANDLE 1" SDS PLUS D-HANDLE ROTARY HAMMER KIT 2713-22, 2713-20



M18 FUEL 1" SDS PLUS ROTARY HAMMER & HAMMERVAC**
DEDICATED DUST **EXTRACTOR KIT** 2712-22DE, 2712-DE, 2712-22, 2712-20



M18 FUEL 1/4" HEX IMPACT **DRIVER KIT**

2853-22, 2853-22CT, 2853-20

w/ ONE-KEY™ 2857-22, 2857-22CT, 2857-20





SURGE™ 1/4" HEX HYDRAULIC DRIVER KIT 2760-22, 2760-22CT, 2760-20

MISFUEL M18 FUEL 1/2" IMPACT WRENCH KIT w/ PIN DETENT 2755-22, 2755-20



M18 FUEL MISFUEL 1/2" HIGH TORQUE IMPACT WRENCH KIT W/ FRICTION RING SUPER SAWZALL®
RECIPROCATING SAW KIT 2767-22, 2767-21, 2767-20 w/ ONE-KEY™ 2863-22, 2863-20



MISFUEL 3/8" IMPACT WRENCH KIT w/ FRICTION RING 2754-22, 2754-22CT, 2754-20

w/ ONE-KEY™ 2758-22, 2758-22CT, 2758-20



1/2" MID-TORQUE IMPACT WRENCH KIT w/ FRICTION RING 2861-22, 2861-21CT, 2861-20



M18 FUEL SAWZALL® RECIP SAW KIT 2720-22, 2720-21, 2720-20



HACKZALL® ONE-HANDED RECIP SAW KIT

M18™ CORDLESS



DEEP CUT BAND SAW KIT 2729-22, 2729-21, 2729-20



METAL CUTTING CIRCULAR SAW KIT



4-1/2" / 5" GRINDER KIT PADDLE SWITCH, NO-LOCK 2780-22, 2780-21, 2780-20



4-1/2" / 5" BRAKING GRINDER KIT PADDLE **SWITCH, NO-LOCK** 2783-22, 2783-20



2784-22, 2784-20





PIPE THREADER

w/ ONE-KEY™ KIT 2874-22HD, 2874-20



M18™ BRUSHLESS THREADED ROD CUTTER KIT



0882-20

M18™ COMPACT BLOWER





M18 FUEL
3-IN-1 BACKPACK 0885-21HD, 0885-20



2950-20



2792-20



SPEAKER



STRIPPER KIT 2935CU-21, 2935AL-21, 2935X-21, 2935-20

REDLITHIUM HIGH OUTPUT HIGH OUTPUT™ **HIGH OUTPUT HIGH OUTPUT** HD Triting --LIGHT DEMAND FITS M18 TOOLS **HEAVY DEMAND**





HIGH OUTPUT

48-11-1835 48-11-1837 M18™ REDLITHIUM™ 2-Pack HIGH OUTPUT™ CP3.0



M18™ REDLITHIUM





More power and run-time, great performance for



Best performance for High demand applications

HIGH OUTPUT

48-11-1812

Battery Pack

M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0



HIGH OUTPUT 48-11-1880 M18[™] REDLITHIUM HIGH OUTPUT™ XC8.0 Battery Pack



48-11-1865 M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Pack




48-11-1850





M18™ REDLITHIUM™



MILWAUKEE® is committed to improving productivity by providing performance-driven and trade-focused solutions so users can perform an entire day's work on one battery system. *Due to the physical size increase of the M18" REDLITHIUM" HIGH OUTPUT" HD12.0, it does not fit the following tools prior to a 6/1/2018 manufacturing date without applicable service part: 2787-20, 2788-20, 2771-20, 2122-20, 2130-20, 2135-20, 2361-20, 2146-20, 2360-20. MILWAUKEE* is committed to protecting end user's investments, offering FREE service upgrades for the listed products to any customer that purchases a HIGH OUTPUT" HD12.0 battery pack (starting summer 2018 you will be able to visit eService to request your service upgrade).





M18™ CHARGERS & STARTER KITS

SUPER, RAPID & STANDARD CHARGING SOLUTIONS





(Batteries Sold Separately)

& M12™ M1



M18™ & M12™ MULTI-VOLTAGE CHARGER







M18™ REDLITHIUM¹ XC5.0 SYSTEM STARTER KIT



M18™ REDLITHIUM CP3.0 SYSTEM STARTER KIT







LONGER LIFE IN THICK METALS.





CUTS
THROUGH
CAST IRON
STAINLESS
BORON
ANGLE IRON
BLACK PIPE
AND MORE

THE TORCH™ WITH CARBIDE TEETH METAL CUTTING SAWZALL® BLADES

TPI	Length	Material	1 Pack	3 Pack	5 Pack
7	6"	-1010	48-00-5201	48-00-5301	48-00-5501
7	9"	-1010	48-00-5202	48-00-5302	48-00-5502

THE AX™ WITH CARBIDE TEETH WOOD CUTTING SAWZALL® BLADES

TPI	Length	Material	1 Pack	3 Pack	5 Pack
5	6"		48-00-5221	48-00-5321	48-00-5521
5	9"		48-00-5226	48-00-5326	48-00-5526
5	12"		48-00-5227	48-00-5327	48-00-5527

CARBIDE TEETH SAWZALL® BLADE SETS

Description	Includes	Part No.
5 Pc SAWZALL® with Carbide Teeth Blade Set	(2) 6" 7 TPI Metal THE TORCH™ with Carbide Teeth SAWZALL® Blades (1) 9" 7 TPI Metal THE TORCH™ with Carbide Teeth SAWZALL® Blade (2) 9" 5 TPI Wood THE AX™ with Carbide Teeth SAWZALL® Blades	49-22-5505







14

18

18

12"

6"


9"

THE TORCH™ METAL CUTTING SAWZALL® BLADES

48-00-5794

48-00-5784

48-00-5788



48-01-2794

48-01-2784

48-01-2788

48-01-7784

48-01-7788

18	12"		48-00-5789	48-00-8789	48-01-2769	48-01-2789	48-01-7789
24	6"	40	48-00-5786	-	-	-	_
24	9"	99	48-00-5790	-	-	-	_
24	10"	S. S.	48-00-5701	_	_	_	

48-00-8784

48-00-8788

48-01-2764

48-01-2768

METAL CUTTING SAWZALL® BLADES

40

W

F 0



EXTREME BAND SAW BLADES

Description	Size	Material Thickness	ТРІ	Pack Qty.	Part No.
	44 7/8"	Thick Metal	8/10	3	48-39-0601
	44 7/8"	Thick Metal	8/10	25	48-39-0605
Deep Cut	44 7/8"	Thick Metal	8/10	100	48-39-0603
Deep Cut	44 7/8"	Thin Metal	12/14	3	48-39-0611
	44 7/8"	Thin Metal	12/14	25	48-39-0615
	44 7/8"	Thin Metal	12/14	100	48-39-0613
	35 3/8"	Thick Metal	8/10	3	48-39-0609
	35 3/8"	Thick Metal	8/10	25	48-39-0606
Compact	35 3/8"	Thick Metal	8/10	100	48-39-0653
Compact	35 3/8"	Thin Metal	12/14	3	48-39-0619
	35 3/8"	Thin Metal	12/14	25	48-39-0616
	35 3/8"	Thin Metal	12/14	100	48-39-0663
Sub-Compact	27"	Thin Metal	12/14	3	48-39-0711

STANDARD BAND SAW BLADES

Description	Size	Material Thickness	TPI	Pack Qty.	Part No.
	44 7/8"	Thick Metal	10	3	48-39-0501
	44 7/8"	Thick Metal	10	25	48-39-0505
	44 7/8"	Thick Metal	10	100	48-39-0502
	44 7/8"	Thick Metal	10/14	3	48-39-0551
	44 7/8"	Thick Metal	10/14	25	48-39-0555
	44 7/8"	Thick Metal	10/14	100	48-39-0552
	44 7/8"	Medium Metal	14	3	48-39-0511
	44 7/8"	Medium Metal	14	25	48-39-0515
Dann Cut	44 7/8"	Medium Metal	14	100	48-39-0512
Deep Cut	44 7/8"	Medium Metal	14/18	3	48-39-0561
	44 7/8"	Medium Metal	14/18	25	48-39-0565
	44 7/8"	Medium Metal	14/18	100	48-39-0562
	44 7/8"	Medium Metal	18	3	48-39-0521
	44 7/8"	Medium Metal	18	25	48-39-0525
	44 7/8"	Medium Metal	18	100	48-39-0522
	44 7/8"	Thin Metal	24	3	48-39-0531
	44 7/8"	Thin Metal	24	25	48-39-0535
	44 7/8"	Thin Metal	24	100	48-39-0532







STANDARD BAND SAW BLADES CONT.

Description	Size	Material Thickness	TPI	Pack Qty.	Part No.
	35 3/8"	Thick Metal	10	3	48-39-0509
	35 3/8"	Thick Metal	10	25	48-39-0506
	35 3/8"	Thick Metal	10	100	48-39-0507
	35 3/8"	Medium Metal	14	3	48-39-0519
	35 3/8"	Medium Metal	14	25	48-39-0516
	35 3/8"	Medium Metal	14	100	48-39-0517
Compact	35 3/8"	Medium Metal	18	3	48-39-0529
	35 3/8"	Medium Metal	18	25	48-39-0526
	35 3/8"	Medium Metal	18	100	48-39-0527
	35 3/8"	Thin Metal	24	3	48-39-0539
	35 3/8"	Thin Metal	24	25	48-39-0536
	35 3/8"	Thin Metal	24	100	48-39-0537
	32 7/8"	Medium Metal	18	3	48-39-0579
Sub-Compact	27"	Medium Metal	18	3	48-39-0572


TUNGSTEN CARBIDE TIPPED ANNULAR CUTTER SETS



De	scription	Depth	Shank	Includes	Part No.
PATH	4 Pc 1-3/8" Tungsten Carbide Tipped Annular Cutter Set	1-3/8"	3/4" Weldon	(1) 9/16" Annular Cutter (1) 11/16" Annular Cutter (1) 13/16" Annular Cutter (1) 15/16" Annular Cutter (1) Retractable Pilot Pin (9/16" – 11/16") (1) Retractable Pilot Pin (13/16" – 1-1/16")	49-22-8430
Mann	8 Pc 2" Tungsten Carbide Tipped Annular Cutter Set	2"	3/4" Weldon	(1) 9/16" Annular Cutter (1) 5/8" Annular Cutter (1) 11/16" Annular Cutter (1) 3/4" Annular Cutter (1) 13/16" Annular Cutter (1) 7/8" Annular Cutter (1) 15/16" Annular Cutter (1) 1-1/16" Annular Cutter (1) 1-1/16" Annular Cutter (1) Retractable Pilot Pin (9/16" – 11/16") (1) Retractable Pilot Pin (3/4" – 2-1/4")	49-22-8440

More kits and open stock items available up to 2-1/4".

SHEET METAL CARBIDE HOLE CUTTER KITS



More kits and open stock individual items available up to 3".

METAL CIRCULAR SAW BLADES

						S STATE OF THE PARTY OF THE PAR
Diameter	No. of Teeth	Application	Hook Angle	Kerf Thickness (mm)	Tooth Grind	Part No.
5-3/8"	30	Ferrous Metal	0°	.063"	ATB	48-40-4070
5-3/8"	50	Non-Ferrous Metal	0°	.063"	ATB	48-40-4075
5-7/8"	90	Stainless Steel	0°	.086"	MATB+FTG	48-40-4080
6-1/2"	48	Ferrous Metal	0°	.063"	MATB	48-40-4015
6-1/2"	60	Non-Ferrous Metal	3°	.075"	MATB	48-40-4005
6-7/8"	52	Non-Ferrous Metal	10°	.071"	MATB	48-40-4006
6-7/8"	36	Ferrous Metal	0°	.065"	MATB	48-40-4016
7-1/4"	48	Non-Ferrous Metal	5°	.071"	TCG	48-40-4132
7-1/4"	-	Ferrous Metal	-	.063"	_	48-40-4140
8"	42	Ferrous Metal 3/32" and thicker	0°	.073"	MATB	48-40-4515
8"	50	Ferrous Metal 3/32" and thinner	0°	.073"	MATB	48-40-4520
8"	60	Aluminum, 1/4"-2" Bar Stock, 1/4"- 1-1/4" Flat Stock	10°	.073"	TCG	48-40-4530
8"	60	Aluminum, 1/4" and under Bar and Flat Stock	0°	.073"	TCG	48-40-4540
10"	80	Non-Ferrous Metal, Plastic	-5°	.102"	TCG	48-40-4168
14"	72	Ferrous Metal	0°	.086"	ATB	48-40-4505
14"	90	Stainless Steel	0°	.086"	MATB+FTG	48-40-4510





HOLE DOZER...

CARBIDE TEETH

LONGEST LIFE IN STAINLESS STEEL.



THERMOSET COATING **FASTER**

CUTS THROUGH STAINLESS WOOD NAILS FIBERGLASS PLASTER CEMENT BOARD AND MORE





Size	Individual Package						
3/4"	49-56-0702	1-1/2"	49-56-0713	2-3/8"	49-56-0726	3-5/8"	49-56-0739
7/8"	49-56-0704	1-3/4"	49-56-0717	2-1/2"	49-56-0727	4"	49-56-0742
1"	49-56-0707	1-7/8"	49-56-0719	2-5/8"	49-56-0729	4-1/4"	49-56-0744
1-1/8"	49-56-0708	2"	49-56-0720	2-3/4"	49-56-0731	4-1/2"	49-56-0746
1-1/4"	49-56-0710	2-1/8"	49-56-0722	3"	49-56-0734	5"	49-56-0748
1-3/8"	49-56-0712	2-1/4"	49-56-0724	3-1/2"	49-56-0738	6"	49-56-0749

HOLE DOZER™ WITH CARBIDE TEETH HOLE SAW KITS





	9 Pc Kit 49-22-3079	12 Pc Kit 49-22-3090
Hole Saws	7/8", 1-1/8", 1-3/8", 2", 2-1/2"	7/8", 1", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/4"
Arbors	49-56-9100, 49-56-7010	49-56-9100, 49-56-7010
Pilot Bits	Additional (2) 49-56-8010	Additional (2) 49-56-8010
Other	1/8" Hex Key	1/8" Hex Key

HOLE DOZER™ BI-METAL HOLE SAW KITS

	Description	Includes	Part No.
ROLL	7 Pc HOLE DOZER™ Electrician's Bi-Metal Hole Saw Kit	(1) 7/8" Bi-Metal Hole Saw (2) 1-1/8" Bi-Metal Hole Saw (1) 1-3/8" Bi-Metal Hole Saw (1) 3/8" Hex Shank Arbor (1) 3-1/2" Pilot Bit (1) Arbor Spacer (1) Arbor Adapter (1) 1/8" Hex Key	49-22-4088
66 6	8 Pc HOLE DOZER™ Electrician's Large Diameter Bi-Metal Hole Saw Kit	(1) 2" Bi-Metal Hole Saw (1) 2-1/2" Bi-Metal Hole Saw (1) 3" Bi-Metal Hole Saw (1) 3-5/8" Bi-Metal Hole Saw (1) 4-1/8" Bi-Metal Hole Saw (1) 4-1/2" Bi-Metal Hole Saw (1) 4-1/2" Bi-Metal Hole Saw (1) 7/16" No wobble Arbor (1) 3-1/2" Pilot Bit (1) 1/8" Hex Key	49-22-4092
	10 Pc HOLE DOZER™ Electrician's Bi-Metal Hole Saw Kit	(1) 7/8" Bi-Metal Hole Saw (1) 1-1/8" Bi-Metal Hole Saw (1) 1-3/8" Bi-Metal Hole Saw (1) 1-3/4" Bi-Metal Hole Saw (1) 2" Bi-Metal Hole Saw (1) 2-1/2" Bi-Metal Hole Saw (1) 3/8" Hex Shank Arbor (1) 7/16" No wobble Arbor (2) 3-1/2" Pilot Bit (1) 1/8" Hex Key	49-22-4095
	19 Pc HOLE DOZER™ Master Electrician's Bi-Metal Hole Saw Kit	(1) 3/4" Bi-Metal Hole Saw (1) 7/8" Bi-Metal Hole Saw (1) 1-1/8" Bi-Metal Hole Saw (1) 1-3/8" Bi-Metal Hole Saw (1) 1-3/8" Bi-Metal Hole Saw (1) 1-3/4" Bi-Metal Hole Saw (1) 2" Bi-Metal Hole Saw (1) 2" Bi-Metal Hole Saw (1) 2-1/2" Bi-Metal Hole Saw (1) 2-1/2" Bi-Metal Hole Saw (1) 2-5/8" Bi-Metal Hole Saw (1) 3" Bi-Metal Hole Saw (1) 3" Bi-Metal Hole Saw (1) 4-1/8" Bi-Metal Hole Saw (1) 4-1/8" Bi-Metal Hole Saw (1) 4-7/16" No wobble Arbor (1) 7/16" No wobble Arbor (3) 3-1/2" Pilot Bit (1) 1/8" Hex Key	49-22-4105

More open stock individual items available 9/16"-6".

SHOCKWAVE™ IMPACT HOLE SAW KITS

	Description	Includes	Part No.
	3 Pc SHOCKWAVE [™] Impact Hole Saw Kit	(1) 7/8" SHOCKWAVE™ Impact Hole Saw (1) 1-1/8" SHOCKWAVE™ Impact Hole Saw (1) 1-3/8" SHOCKWAVE™ Impact Hole Saw	49-22-4800

More open stock individual sizes available 3/4" – 1-1/2".



MOST DURABLE. FASTEST HOLES.









SHOCKWAVE™ IMPACT STEP BITS

Description	Part No.
#1 SHOCKWAVE™ Impact Step Drill Bit, 1/8" – 1/2"	48-89-9241
#2 SHOCKWAVE™ Impact Step Drill Bit, 3/16" – 1/2"	48-89-9242
#3 SHOCKWAVE™ Impact Step Drill Bit, 3/16" – 3/4"	48-89-9243

Description	Part No.	
#4 SHOCKWAVE™ Impact Step Drill Bit, 3/16" - 7/8"	48-89-9244	
#8 SHOCKWAVE™ Impact Step Drill Bit, 1/2" – 1"	48-89-9248	
#9 SHOCKWAVE™ Impact Step Drill Bit, 7/8" – 1-1/8"	48-89-9249	

SHOCKWAVE™ IMPACT STEP BITS SETS

Description	Includes	Part No.
3 Pc SHOCKWAVE [™] Impact Step Drill Bit Set	(1) #1 SHOCKWAVE™ Impact Step Drill Bit, 1/8" – 1/2" (1) #2 SHOCKWAVE™ Impact Step Drill Bit, 3/16" – 1/2" (1) #4 SHOCKWAVE™ Impact Step Drill Bit, 3/16" – 7/8"	48-89-9254
3 Pc SHOCKWAVE™ Mechanical Impact Step Drill Bit Set	(1) #2 SHOCKWAVE™ Impact Step Drill Bit, 3/16" - 1/2" (1) #3 SHOCKWAVE™ Impact Step Drill Bit, 3/16" - 3/4" (1) #4 SHOCKWAVE™ Impact Step Drill Bit, 1/2" - 1"	48-89-9256
3 Pc SHOCKWAVE [™] Electrician Impact Step Drill Bit Set	(1) #1 SHOCKWAVE™ Impact Step Drill Bit, 1/8" – 1/2" (1) #4 SHOCKWAVE™ Impact Step Drill Bit, 3/16" – 7/8" (1) #9 SHOCKWAVE™ Impact Step Drill Bit, 7/8" – 1-1/8"	48-89-9257

STEP BITS

Description	Number of Holes	Part No.
#1 Step Drill Bit, 1/8" - 1/2"	13	48-89-9201
#2 Step Drill Bit, 3/16" - 1/2"	6	48-89-9202
#3 Step Drill Bit, 1/4" - 3/4"	9	48-89-9203
#4 Step Drill Bit, 3/16" - 7/8"	12	48-89-9204
#5 Step Drill Bit, 1/4" – 1-3/8"	10	48-89-9205

Description	Number of Holes	Part No.
#6 Step Drill Bit, 3/8" & 1/2"	2	48-89-9206
#7 Step Drill Bit, 7/8"	1	48-89-9207
#8 Step Drill Bit, 1/2" - 1"	9	48-89-9208
#9 Step Drill Bit, 7/8" & 1-1/8"	2	48-89-9209
#11 Step Drill Bit, 7/8" - 1-7/32"	3	48-89-9211
#12 Step Drill Bit, 7/8" – 1-3/8"	5	48-89-9212

STEP BITS SETS

Description	Includes	Part No.
2 Pc #4 Step Drill Bit Set	(2) #4 Step Drill Bit, 3/16" – 7/8"	48-89-9234
2 Pc #9 Step Drill Bit Set	(2) #9 Step Drill Bit, 7/8" & 1-1/8"	48-89-9239
3 Pc Step Drill Bit Set	(1) #1 Step Drill Bit, 1/8" – 1/2" (1) #2 Step Drill Bit, 3/16" – 1/2" (1) #4 Step Drill Bit, 3/16" – 7/8" (1) Carrying Case	48-89-9221
4 Pc Step Drill Bit Set	(1) #1 Step Drill Bit, 1/8" – 1/2" (1) #4 Step Drill Bit, 3/16" – 7/8" (1) #7 Step Drill Bit, 7/8" (1) #12 Step Drill Bit, 7/8" – 1-3/8" (1) Carrying Case	48-89-9223
6 Pc Step Drill Bit Set	(1) #1 Step Drill Bit, 1/8" – 1/2" (1) #4 Step Drill Bit, 3/16" – 7/8" (1) #6 Step Drill Bit, 3/8" & 1/2" (1) #7 Step Drill Bit, 7/8" (1) #8 Step Drill Bit, 1/2" – 1" (1) #9 Step Drill Bit, 7/8" & 1-1/8" (1) Carrying Case	48-89-9224

SHOCKWAVE™ LINEMAN'S HEX SOCKETS

Description	Part No.	
5/16" SHOCKWAVE™ Lineman's Impact 1/2" Drive Hex Bit Socket	49-66-5141	5/10
3/8" SHOCKWAVE™ Lineman's Impact 1/2" Drive Hex Bit Socket	49-66-5142	3/8
1/2" SHOCKWAVE™ Lineman's Impact 1/2" Drive Hex Bit Socket	49-66-5144	1/2

Description	Part No.
5/16" SHOCKWAVE™ Lineman's Impact 3/8" Drive Hex Bit Socket	49-66-5151
3/8" SHOCKWAVE™ Lineman's Impact 3/8" Drive Hex Bit Socket	49-66-5152
1/2" SHOCKWAVE™ Lineman's Impact 3/8" Drive Hex Bit Socket	49-66-5154

SHOCKWAVE™ DRIVING AND FASTENING

Description	Part No.
υενστιμισιι	rait No.
5 Pc SHOCKWAVE™ Conduit Reaming Bit Holders	48-32-2350
#1 Phillips SHOCKWAVE™ Impact 1" Insert Bits (2 pk)	48-32-4411
#1 Phillips SHOCKWAVE™ Impact 2" Power Bit	48-32-4461
2 Pc SHOCKWAVE™ Impact ECX™ 2" Anti-Strip Power Bit Set (#1, #2)	48-32-4443
#2 Phillips - #2 Square Recess SHOCKWAVE™ Impact Double-Ended 2-3/8" Power Bit	48-32-4311
6" SHOCKWAVE™ Impact Magnetic Bit Holder	48-32-4511
2-7/8" SHOCKWAVE™ Impact Locking Bit Holder	48-32-4531
SHOCKWAVE™ Impact Right Angle Adapter	48-32-2390
3" SHOCKWAVE™ Impact Magnetic Bit Holder	48-32-4503

More open stock individual items and sets available.



SHOCKWAVE™ DRILLING AND FASTENING SETS

	Description	Includes	Part No.
The same of the sa	7 Pc SHOCKWAVE [™] Impact Magnetic Drive Guide Set	(1) 3" Magnetic Drive Guide (2) Phillips Insert Bit 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) TORX® Insert Bit 1" T20 (2) TORX® Insert Bit 1" T25	48-32-4515
TO THE SECOND SE	4 Pc SHOCKWAVE [™] Impact Magnetic Nut Driver Set	(1) 1/4" Nut Driver (1) 5/16" Nut Driver (1) 3/8" Nut Driver (1) 7/16" Nut Driver	49-66-4562
i i	9 Pc SHOCKWAVE™ 1/2" Deep Well Impact Socket Set	(1) 3/8" Impact Socket (1) 7/16" Impact Socket (1) 1/2" Impact Socket (1) 9/16" Impact Socket (1) 5/8" Impact Socket (1) 11/16" Impact Socket (1) 3/4" Impact Socket (1) 7/8" Impact Socket (1) 1/4" Hex to 1/2" Square Adapter	49-66-4484
SCATT MAPPINS ST.	3 Pc SHOCKWAVE™ Impact 2" Socket Adapter Set	(1) 1/4" Socket Adapter (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-5033
	52 Pc SHOCKWAVE™ Electrician's Impact Drill and Drive Set	(1) 3" Magnetic Bit Holder (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 1" 1/6" (1) Phillips Bit 1" P1 (5) Phillips Bit 1" P2 (1) Phillips Bit 1" P3 (2) Phillips Bit 2" P2 (1) Square Bit 1" SQ1 (4) Square Bit 1" SQ2 (1) Square Bit 1" SQ2 (1) Square Bit 1" SQ2 (1) Square Bit 1" T20 (2) TORX® Bit 1" T20 (2) TORX® Bit 1" T25 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) Slotted Bit 1" SL 3/16" (1) Slotted Bit 1" SL 3/16" (1) Slotted Bit 1" SL 1/4" (1) TORX® Security Bit 1" T10 (1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T27 (1) TORX® Security Bit 1" T30 (1) Hex Security Bit 1" 1/8" (1) Hex Security Bit 1" 1/8" (1) Hex Security Bit 1" 5/32" (1) Hex Security Bit 1" 3/16" (1) Spanner Bit 1" #8 (1) Spanner Bit 1" #8 (1) Spanner Bit 1" #12 (1) Clutch G Bit 1" 1/8" (1) Clutch G Bit 1" 1/8" (1) Clutch G Bit 1" 1/8" (1) 1/8" RED HELLX" Titanium Drill Bit (1) 1/4" RED HELLX" Titanium Drill Bit (1) 1/4" RED HELLX" Titanium Drill Bit (1) 1/4" Insert Magnetic Nut Driver (1) 3/6" Insert Magnetic Nut Driver (1) 3/6" Insert Magnetic Nut Driver (1) 3/8" Insert Socket Adapter	48-32-4025

DRILLING SETS

Description	Includes	Part No.
21 Pc THUNDERBOLT® Black Oxide Drill Bit Set	(2) 1/16" THUNDERBOLT® Black Oxide Drill Bit (1) 11/64" THUNDERBOLT® Black Oxide Drill Bit (1) 1/2" THUNDERBOLT® Black Oxide Drill Bit (1) 13/64" THUNDERBOLT® Black Oxide Drill Bit (2) 1/4" THUNDERBOLT® Black Oxide Drill Bit (1) 15/64" THUNDERBOLT® Black Oxide Drill Bit (2) 1/8" THUNDERBOLT® Black Oxide Drill Bit (2) 3/16" THUNDERBOLT® Black Oxide Drill Bit (1) 3/32" THUNDERBOLT® Black Oxide Drill Bit (1) 3/32" THUNDERBOLT® Black Oxide Drill Bit (1) 5/16" THUNDERBOLT® Black Oxide Drill Bit (1) 5/32" THUNDERBOLT® Black Oxide Drill Bit (2) 5/64" THUNDERBOLT® Black Oxide Drill Bit (1) 7/32" THUNDERBOLT® Black Oxide Drill Bit (1) 7/44" THUNDERBOLT® Black Oxide Drill Bit (1) 7/64" THUNDERBOLT® Black Oxide Drill Bit (1) 9/64" THUNDERBOLT® Black Oxide Drill Bit	48-89-2801
15 Pc RED HELIX™ Cobalt Drill Bit Set	(1) 1/16" Cobalt RED HELIX" Drill Bit (1) 5/64" Cobalt RED HELIX" Drill Bit (1) 3/32" Cobalt RED HELIX" Drill Bit (1) 3/32" Cobalt RED HELIX" Drill Bit (2) 1/8" Cobalt RED HELIX" Drill Bit (2) 1/8" Cobalt RED HELIX" Drill Bit (1) 9/64" Cobalt RED HELIX" Drill Bit (1) 5/32" Cobalt RED HELIX" Drill Bit (1) 3/16" Cobalt RED HELIX" Drill Bit (1) 3/16" Cobalt RED HELIX" Drill Bit (2) 1/4" Cobalt RED HELIX" Drill Bit (1) 5/16" Cobalt RED HELIX" Drill Bit (1) 3/8" Cobalt RED HELIX" Drill Bit (1) 3/8" Cobalt RED HELIX" Drill Bit (1) 1/2" Cobalt RED HELIX" Drill Bit	48-89-2331

More open stock individual items and sets available.

TORX® is a registered trademark of Acument™ Global Technologies.



PLUS-LOK™ SDS PLUS EXTENSIONS **REACH MORE**™

Small Profile
For Drilling Deep Holes
7/8" and Larger



Auto-Insert
Mechanism
For Tool Free Connection

- 12" and 18" Extensions
For Increased Reach

MASONRY AND CONCRETE

Description	Part Number	Diameter	Length
3/8" x 1-1/16" SDS Plus Stop Bit	48-20-7651	3/8"	1-1/16"
1/2" x 13/16" SDS Plus Stop Bit	48-20-7652	1/2"	13/16"
1/2" x 1-11/16" SDS Plus Stop Bit	48-20-7653	1/2"	1-11/16"
5/32" x 4" x 7" SDS Plus Replacement Bit for Concrete Screw Installation Kit	48-20-7091	5/32"	7"
3/16" x 4" x 7" SDS Plus Replacement Bit for Concrete Screw Installation Kit	48-20-7092	3/16"	7"
5/32" x 4" x 6" M/2™ SDS Plus Bit	48-20-7401	5/32"	6"
3/16" x 4" x 6" M/2™ SDS Plus Bit	48-20-7411	3/16"	6"
1/4" x 4" x 6" M/2™ SDS Plus Bit	48-20-7431	1/4"	6"
3/8" x 4" x 6" M/2™ SDS Plus Bit	48-20-7451	3/8"	6"
1/2" x 4" x 6" M/2™ SDS Plus Bit	48-20-7471	1/2"	6"
5/8" x 4" x 6" M/2™ SDS Plus Bit	48-20-7601	5/8"	6"
3/16" x 4" x 6" MX4™ SDS Plus Bit	48-20-7311	3/16"	6"
1/4" x 4" x 6" MX4" SDS Plus Bit	48-20-7331	1/4"	6"
3/8" x 4" x 6" MX4™ SDS Plus Bit	48-20-7351	3/8"	6"
1/2" x 4" x 6" MX4™ SDS Plus Bit	48-20-7371	1/2"	6"
5/8" x 6" x 8" MX4™ SDS Plus Bit	48-20-7200	5/8"	8"
1/2" & 5/8" x 10" SDS Plus Ground Rod Driver	48-62-6031	1/2" & 5/8"	10"
5/8" & 3/4" x 10-1/2" SDS Max Ground Rod Driver	48-62-4091	5/8" & 3/4"	10-1/2"
12" PLUS-LOK™ SDS Plus Extension	48-20-6940	7/8"	12"
18" PLUS-LOK™ SDS Plus Extension	48-20-6945	7/8"	18"
10" SLEDGE™ SDS Plus Self-Sharpening Bull Point	48-62-6050	-	10"
3/4" x 10" SLEDGE™ SDS Plus Self-Sharpening Flat Chisel	48-62-6052	3/4"	10"
7/8" x 10" SDS Plus Concrete Channel Chisel	48-62-6024	7/8"	10"
1" x 10" SDS Plus Winged Channel Chisel	48-62-6026	1"	10"

More open stock individual items available.



SPECIALTY DRILLING SETS

	Description	Part Number	Includes
	7 Pc 3-Flat SECURE GRIP™ Hammer-Drill Bit Set	48-20-8857	(1) 1/8" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit (1) 5/32" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit (1) 3/16" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit (1) 1/4" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit (1) 5/16" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit (1) 3/8" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit (1) 1/2" x 6" 3-Flat SECURE GRIP™ Hammer-Drill Bit
	5 Pc M/2™ SDS Plus Bit Set	48-20-7490	(1) 3/16" x 6" Rotary Hammer-Drill Bit (1) 1/4" x 6" Rotary Hammer-Drill Bit (1) 5/16" x 6" Rotary Hammer-Drill Bit (1) 3/8" x 6" Rotary Hammer-Drill Bit (1) 1/2" x 6" Rotary Hammer-Drill Bit
TTY O	5 Pc MX4™ SDS Plus Bit Set	48-20-7498	(1) 3/16" x 4" Rotary Hammer-Drill Bit (1) 1/4" x 6" Rotary Hammer-Drill Bit (1) 5/16" x 6" Rotary Hammer-Drill Bit (1) 3/8" x 6" Rotary Hammer-Drill Bit (1) 1/2" x 6" Rotary Hammer-Drill Bit
	SDS Plus Installation Kit for Concrete Screws	48-20-7497	(1) 5/32" x 7" with 1/4" Hex Rotary Hammer-Drill Bit (1) 3/16" x 7" with 1/4" Hex Rotary Hammer-Drill Bit (1) #2 Phillips Driver Bit (1) #3 Phillips Driver Bit (1) 5/16" Hex Drive Bit (1) 1/4" Hex Drive Bit (1) Drive Sleeve
	SDS Plus DUST TRAP™ Drilling Shroud	48-03-3035	1 Pack

More open stock individual items available.

This product complies with ANSI B212.15 standard










CONDUIT BENDERS

MET Part #	Description
48-22-4080	1/2" EMT Iron Conduit Bender
48-22-4081	3/4" EMT Iron Conduit Bender
48-22-4082	1" EMT Iron Conduit Bender
48-22-4070	1/2" EMT Aluminum Conduit Bender
48-22-4071	3/4" EMT Aluminum Conduit Bender

SCREWDRIVERS

MET Part #	Description
48-22-2202	3 Pc 1000V Insulated Screwdriver Set
48-22-2210	10 Pc 1000V Insulated Screwdriver Set with Case
48-22-2708	8 Pc Screwdriver Set with ECX™
48-22-2886	6 Pc Cushion-Grip Screwdriver Set
48-22-2880	13 _{IN} 1 Cushion-Grip Screwdriver with ECX™ Bit
48-22-2301	10 _{IN} 1 Ratchet Multi-Bit Driver with ECX™
48-22-2760	11 _{IN} 1 Multi-Bit Driver with ECX™

TAPE MEASURES



48-22-9725M	Measure with 17' Reach*
48-22-0216M	16ft Wide Blade Magnetic Tape Measure with 16' Reach*
48-22-0225M	25ft Wide Blade Magnetic Tape Measure with 17' Reach*
48-22-0316	16ft Compact Wide Blade Magnetic Tape Measure with 15' Reach*
48-22-0325	25ft Compact Wide Blade Magnetic Tape Measure with 15' Reach*
48-22-0335	35ft Compact Wide Blade Magnetic Tape Measure with 15' Reach*
48-22-0317	5m/16ft Compact Wide Blade Magnetic Tape Measure with 15' Reach*
48-22-0326	8m/26ft Compact Wide Blade Magnetic Tape Measure with 15' Reach*

OTHER MEASURING

Description
6-1/2ft Composite Folding Rule
65ft Laser Distance Meter
150ft Laser Distance Meter
330ft Laser Distance Meter

LAYOUT & HAMMERS

MET Part #	Description
48-22-3100	36 Pc INKZALL™ Fine Point Black Jobsite Markers (Bulk)
48-22-3980	100' Bold Line Chalk Reel
48-22-9316	19oz Smooth Face Poly Fiberglass Hammer

PLIERS



NUT DRIVERS & WRENCHES

MET Part #	Description
48-22-2507	7 Pc HOLLOWCORE™ SAE Magnetic Nut Driver Set
48-22-9407	7 Pc SAE Combination Wrench Set
48-22-9406	7 Pc SAE Ratcheting Combination Wrench Set
48-22-7406	6" Adjustable Wrench
48-22-7408	8" Adjustable Wrench
48-22-7410	10" Adjustable Wrench
48-22-7412	12" Adjustable Wrench
48-22-7415	15" Adjustable Wrench
48-22-7400	2 Pc 6" & 10" Adjustable Wrench Set
48-22-7508	8" Wide Jaw Adjustable Wrench

RATCHET & SOCKETS



MET Part #	Description
48-22-1501	FASTBACK™ Folding Utility Knife
48-22-1500	FASTBACK [™] Compact Folding Utility Knife
48-22-1502	FASTBACK [™] Folding Utility Knife with Blade Storage
48-22-1510	Side Slide Knife
48-22-1512	Self Retracting Utility Knife
48-22-1513	Fixed Blade Utility Knife
48-22-1530	FASTBACK™ Spring Assisted Knife
48-22-1535	FASTBACK [™] Camo Spring Assisted Knife
48-22-1520	FASTBACK™ Folding Knife
48-22-1524	FASTBACK™ Camo Folding Knife
48-22-1525	FASTBACK [™] Hawkbill Folding Knife
48-22-1526	FASTBACK™ Blunt Tip Hawkbill Folding Knife
48-22-1540	FASTBACK [™] 5 _{IN} 1 Folding Knife
48-22-1925	Hawkbill Fixed Blade Knife

FISH TAPES

MET Part # Description

MEI Part#	Description	
48-22-4192	50ft Polyester Fish Tape with Flexible Metal Leader	
48-22-4195	100ft Polyester Fish Tape with Flexible Metal Leader	
48-22-4197	200ft Polyester Fish Tape with Flexible Metal Leader	
48-22-4162	50ft Polyester Fish Tape with Nonconductive Tip	
48-22-4165	100ft Polyester Fish Tape with Nonconductive Tip	
48-22-4167	200ft Polyester Fish Tape with Nonconductive Tip	
48-22-4171	25ft 1/8" Steel Fish Tape	
48-22-4173	60ft 1/8" Steel Fish Tape	
48-22-4176	120ft 1/8" Steel Fish Tape	
48-22-4178	240ft 1/8" Steel Fish Tape	
48-22-4181	25ft 1/4" Steel Fish Tape with Low Profile Tip	
48-22-4185	100ft 1/4" Steel Fish Tape	

FISH STICKS

MEI Part #	Description
48-22-4149	5ft Low Flex Fish Stick
48-22-4150	15ft Low Flex Fish Stick Kit
48-22-4151	5ft Mid Flex Fish Stick
48-22-4152	15ft Mid Flex Fish Stick Kit
48-22-4153	5ft High Flex Fish Stick
48-22-4154	15ft High Flex Fish Stick Kit
48-22-4160	25ft Fish Stick Combo Kit
48-22-4155	30ft Fish Stick Combo Kit
48-22-4156	60ft Fish Stick Combo Kit
48-22-4157	3 Pc Fish Stick Accessory Kit
48-22-4158	Fish Stick Lighted Tip Accessory
48-22-4159	Fish Stick Magnetic Tip and Chain Accessory

STORAGE & ORGANIZATION		
MET Part #	Description	
48-22-8118	Compact Utility Pouch	
48-22-8119	Utility Pouch	
48-22-8180	Zipper Pouch	
48-22-8193	3 Pc Zipper Pouches	
48-22-8310	PACKOUT™ 10" Tote	
48-22-8315	PACKOUT™ 15" Tote	

4	40-22-0320	PACKUUT ZU TOLE
	48-22-8424	PACKOUT™ Tool Box
	48-22-8425	PACKOUT™ Large Tool Box
	48-22-8426	PACKOUT™ Rolling Tool Box
	40.00.0400	DAOKOLITĪM O

40 LL 04L0	THOROUT Holling Tool Box
48-22-8430	PACKOUT™ Organizer
48-22-8431	PACKOUT™ Low-Profile Organizer
48-22-8435	PACKOUT™ Compact Organizer
48-22-8436	PACKOUT™ Low-Profile Compact Organiz
48-22-8485	PACKOUT™ Mounting Plate

8-22-8410	PACKOUT™ Dolly
8-22-8440	PACKOUT™ Crate


48-22-8301 PACKOUT™ Backpack

*Based on Maximum Extension of Average Professional User 54



STAY **SAFE.** STAY **PRODUCTIVE.**

MILWAUKEE® has taken the time to understand users' needs and develop personal protective equipment from the ground up, delivering hard hats that allow users to adapt to each job and safety glasses that can be worn all day with lasting, fogfree lenses. MILWAUKEE® is focused on creating innovative PPE solutions that won't slow users down, helping them STAY SAFE. STAY PRODUCTIVE.™




ADVANCED PROTECTION. **ULTIMATE PERFORMANCE.**

SAFETY **GLASSES**



MET Part #	Description
48-73-2045	Polarized Performance Safety Glasses with Gasket
48-73-2046	Polarized Performance Safety Glasses with Gasket (Polybag)
48-73-2040	Clear Performance Safety Glasses with Gasket
48-73-2041	Clear Performance Safety Glasses with Gasket (Polybag)
48-73-2025	Tinted Performance Safety Glasses
48-73-2026	Tinted Performance Safety Glasses (Polybag)
48-73-2020	Clear Performance Safety Glasses
48-73-2021	Clear Performance Safety Glasses (Polybag)
48-73-2005	Tinted Safety Glasses
48-73-2006	Tinted Safety Glasses (Polybag)
48-73-2051	3 Pk Tinted Safety Glasses
48-73-2000	Clear Safety Glasses
48-73-2001	Clear Safety Glasses (Polybag)
48-73-2050	3 Pk Clear Safety Glasses

BEST SHOCK ABSORPTION



EASILY CONNECT

LANYARD **ACCESSORIES**



ALL DAY **COMFORT**



MET Part #	Description
48-73-3001	10 Pair Ear Plugs
48-73-3005	100 Pair Ear Plugs
48-73-3006	100 Pair Ear Plugs (Individually Wrapped)
48-73-3151	3 Pk Reusable Corded Ear Plugs

ULTIMATE DURABILITY. ALL DAY COMFORT.

CUT RESISTANT GLOVES



High Visibility Cut Level 4

High Visibility Cut Level 4 Polyurethane Dipped Gloves - XXL

Polyurethane Dipped Gloves – S

Polyurethane Dipped Gloves - M

Polyurethane Dipped Gloves - L

Polyurethane Dipped Gloves - XL

48-73-8940

48-73-8941

48-73-8942

48-73-8943

IMPACT PROTECTION. REINFORCED DURABILITY.

WORK GLOVES

MET Part #	Description Property
48-22-8750	Impact Demolition Gloves – S
48-22-8751	Impact Demolition Gloves – M
48-22-8752	Impact Demolition Gloves – L
48-22-8753	Impact Demolition Gloves – XL
48-22-8754	Impact Demolition Gloves – XXL
48-22-8735	Demolition Gloves – S
48-22-8731	Demolition Gloves – M
48-22-8732	Demolition Gloves – L
48-22-8733	Demolition Gloves – XL
48-22-8734	Demolition Gloves – XXL
48-73-0010	Goatskin Leather Gloves – S
48-73-0011	Goatskin Leather Gloves – M
48-73-0012	Goatskin Leather Gloves – L
48-73-0013	Goatskin Leather Gloves – XL
48-73-0014	Goatskin Leather Gloves – XXL
48-22-8725	Performance Gloves – S
48-22-8721	Performance Gloves – M
48-22-8722	Performance Gloves – L
48-22-8723	Performance Gloves – XL
48-22-8724	Performance Gloves – XXL

ADAPT TO YOUR JOBSITE

HARD HAIS		HAIS
	MET Part #	Description
	48-73-1020	Front Brim Hard Hat – Type 1 Class E
	48-73-1021	Front Brim Hard Hat – Type 1 Class E (Small Logo)
	48-73-1030	Full Brim Hard Hat – Type 1 Class E
	48-73-1031	Full Brim Hard Hat – Type 1 Class E (Small Logo)

STAY COOL. BETTER FIT.

RESPIRATORS

MET Part #	Description	
48-73-4001	N95 Valved Respirator with Gasket	
48-73-4002	3 Pk N95 Valved Respirator with Gasket	
48-73-4004	10 Pk N95 Valved Respirator with Gasket	
48-73-4011	N95 Valved Respirator	
48-73-4012	3 Pk N95 Valved Respirator	
48-73-4014	10 Pk N95 Valved Respirator	

CARRY MORE. REINFORCED POCKETS.

SAFETY VESTS

MET Part #	Description
48-73-5021	High Visibility Yellow Safety Vest – S/M
48-73-5022	High Visibility Yellow Safety Vest – L/XL
48-73-5023	High Visibility Yellow Safety Vest – 2XL/3XL
48-73-5061	High Visibility Yellow Safety Vest – S/M (CSA)
48-73-5062	High Visibility Yellow Safety Vest – L/XL (CSA)
48-73-5063	High Visibility Yellow Safety Vest – 2XL/3XL (CSA)
48-73-5031	High Visibility Orange Safety Vest – S/M
48-73-5032	High Visibility Orange Safety Vest – L/XL
48-73-5033	High Visibility Orange Safety Vest – 2XL/3XL
48-73-5071	High Visibility Orange Safety Vest – S/M (CSA)
48-73-5072	High Visibility Orange Safety Vest – L/XL (CSA)
48-73-5073	High Visibility Orange Safety Vest – 2XL/3XL (CSA)
48-73-5041	High Visibility Performance Yellow Safety Vest – S/M
48-73-5042	High Visibility Performance Yellow Safety Vest – L/XL
48-73-5043	High Visibility Performance Yellow Safety Vest – 2XL/3XL
48-73-5081	High Visibility Performance Yellow Safety Vest – S/M (CSA)
48-73-5082	High Visibility Performance Yellow Safety Vest – L/XL (CSA)
48-73-5083	High Visibility Performance Yellow Safety Vest – 2XL/3XL (CSA)
48-73-5051	High Visibility Performance Orange Safety Vest – S/M
48-73-5052	High Visibility Performance Orange Safety Vest – L/XL
48-73-5053	High Visibility Performance Orange Safety Vest – 2XL/3XL
48-73-5091	High Visibility Performance Orange Safety Vest – S/M (CSA)
48-73-5092	High Visibility Performance Orange Safety Vest – L/XL (CSA)
48-73-5093	High Visibility Performance Orange Safety Vest – 2XL/3XL (CSA)

INDUSTRY'S BEST COVERAGE

Service Anywhere | Fast Turn Times for Everyone | Best Warranty in Industry



SERVICE ANYWHERE

Thousands of convenient service locations across the U.S.

- 19 Factory Service Centers
- 8,000 Drop off locations with eService
- Hundreds of Authorized Service Centers
- milwaukeetool.com/Support/Find-A-Service-Center

FAST TURN TIMES FOR EVERYONE

Fast, efficient repairs for all users.

- The most flexible and efficient service network in the industry ensures consistent turn times, no-matter the size of the user
- Factory-trained technicians that repair only MILWAUKEE® tools

BEST WARRANTY IN INDUSTRY



POWER

TOOLS



HD & XC

BATTERIES









LIFESTYLE BATTERIES

AUTOMOTIVE HAND **TOOLS**

HAND **TOOLS**

TOOL REPAIR OPTIONS



The 24/7 solution for quick, convenient repairs: best for smaller tool quantities





Fill out tool and user information at milwaukeetool.com/eservice



Print a free FedEx shipping label for the Milwaukee Tool repair facility



Your repaired tool will be returned directly to you - no need to pick it up





FACTORY SERVICE CENTERS

- Fast turn-around: get your tool back in 7 10 days
- Repairs under warranty are covered at no charge
- Repairs performed by factory-trained technicians are done using only genuine MILWAUKEE® parts
- Refer to back page for Factory Service Center locations

AUTHORIZED SERVICE CENTERS

- Hundreds of locations throughout the U.S.
- Repairs under warranty are covered at no charge
- Repairs performed by factory-trained technicians using only genuine MILWAUKEE® parts
- For Authorized Service Center locations, refer to www.milwaukeetool.com/service/find-a-service-center

IS MY TOOL COVERED UNDER WARRANTY?				
YES	NO			
WARRANTY SERVICE: ■ Free repairs or replacements for MILWAUKEE® products defective in material or workmanship ■ Qualifying products must be within their specific warranty period	LIGHTNING MAX REPAIR: Speed: Repairs in 7 – 10 days Pay Less Not More: Guaranteed to never pay more than the quoted Lightning Max Repair price Reliability: All repairs are serviced by experienced, certified factory technicians Quality: Only genuine MILWAUKEE® parts used			

